

# Languages of Higher-Dimensional Automata

Uli Fahrenberg

EPITA Rennes, France

Highlights 2022





- Christian Johansen, Gjøvik, Norway
- Georg Struth, Sheffield, UK & Lyon, France
- Krzysztof Ziemiański, Warsaw, Poland



# Higher-dimensional automata

$a$  in parallel with  $b$ :



HDA as a model for **concurrency**:


- points: **states**
- edges: **transitions**
- squares, cubes etc.: **independency** relations (concurrently executing events)
- **two**-dimensional automata  $\cong$  asynchronous transition systems  
[Bednarczyk]

[van Glabbeek 2006, TCS]: Up to history-preserving bisimilarity, HDA “generalize the main models of concurrency proposed in the literature” (notably, event structures and Petri nets)





- Automata have languages
- HDA don't (hitherto)
- (focus has been on operational and *topological* aspects)

# Languages of HDA's




$$L_1 = \{abc, acb, bac, bca, cab, cba\}$$




$$L_3 = \left\{ \begin{pmatrix} a \\ b \\ c \end{pmatrix}, \dots \right\}$$




# Languages of HDAs



$$L_1 = \{abc, acb, bac, bca, cab, cba\}$$




$$L_2 = \left\{ \binom{a}{b \rightarrow c}, \binom{a}{c \rightarrow b}, \binom{b}{a \rightarrow c}, \binom{b}{c \rightarrow a}, \binom{c}{a \rightarrow b}, \binom{c}{b \rightarrow a} \right\} \cup L_1$$



$$L_3 = \left\{ \binom{a}{b}{c} \right\} \cup L_2$$

sets of pomsets




$$\begin{pmatrix} a \rightarrow b \\ c \rightarrow d \end{pmatrix}$$

- not series-parallel!

# Are all pomsets generated by HDA?

No, only (labeled) **interval orders**

- Poset  $(P, \leq)$  is an interval order iff it has an **interval representation**:
  - a set  $I = \{[l_i, r_i]\}$  of real intervals
  - with order  $[l_i, r_i] \preceq [l_j, r_j]$  iff  $r_i \leq l_j$
  - and an order isomorphism  $(P, \leq) \leftrightarrow (I, \preceq)$
- [Fishburn 1970]





$$\frac{\frac{a}{c} \quad \frac{b}{d}}{\left( \begin{array}{l} a \rightarrow b \\ c \rightarrow d \end{array} \right)}$$

## Definition (lpomset)

A **lpomset with interfaces (and event order)**:  $(P, <, \dashrightarrow, S, T, \lambda)$ :

- finite set  $P$ ;
- two partial orders  $<$  (**precedence order**),  $\dashrightarrow$  (**event order**)
  - s.t.  $< \cup \dashrightarrow$  is a *total relation*;
- $S, T \subseteq P$  **source** and **target interfaces**
  - s.t.  $S$  is  $<$ -minimal,  $T$  is  $<$ -maximal.

# Composition of ipomsets



- **Gluing**  $P * Q$ :  $P$  before  $Q$ , except for interfaces (which are identified)
- **Parallel composition**  $P \parallel Q$ :  $P$  above  $Q$  (disjoint union)

# Languages of HDAs

- For an HDA  $X$ ,  $L(X)$  is
  - a set of **interval-order ipomsets**
  - closed under **subsumption**
- For any interval order  $P$ ,  $\exists$  HDA  $\square^P$  for which  $L(\square^P) = \{P\}\downarrow$ 
  - and then for any HDA  $X$ ,  $P \in L(X)$  iff  $\exists f : \square^P \rightarrow X$

## Definition (Rational Languages over $\Sigma$ )

- Generated by  $\emptyset$ ,  $\{\epsilon\}$ , and all  $\{[a]\}$ ,  $\{[\bullet a]\}$ ,  $\{[a \bullet]\}$ ,  $\{[\bullet a \bullet]\}$  for  $a \in \Sigma$
- under operations  $\cup$ ,  $*$ ,  $\parallel$  and (Kleene plus)  $^+$

## Theorem (à la Kleene)

A language is **rational** iff it is recognized by an **HDA**.

- [1] Uli Fahrenberg, Christian Johansen, Georg Struth, and Krzysztof Ziemiański.  
Languages of higher-dimensional automata.  
*Mathematical Structures in Computer Science*, 31(5):575–613, 2021.
- [2] Uli Fahrenberg, Christian Johansen, Georg Struth, and Krzysztof Ziemiański.  
A Kleene theorem for higher-dimensional automata.  
*CoRR*, abs/2202.03791, 2022. Accepted for CONCUR 2022.  
<https://arxiv.org/abs/2202.03791>.
- [3] Uli Fahrenberg, Christian Johansen, Georg Struth, and Krzysztof Ziemiański.  
Posets with interfaces as a model for concurrency.  
*Information and Computation*, 285(2):104914, 2022.